----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH -----

	POPULATIO	N ESTIMATES	3	CANCER	INCIDEN	CE	LOCAL PUBLIC H	IEALTH	
									Per
	.999 Popula	tion Est	43,130	Cancer incide	ence is	for 1998)	Activities Reported	Number	10,000
Perce	nt Female		50.8						
				Primary Site		Number	Public Health Nursing		
Populat	ion per squ	uare mile	31				Total clients	71	16
Rank	in state		46	Breast		42	Total clients Total visits	341	79
l (1=h	ighest pop	ulation der	nsitv.	Cervical		5 İ	Visits: Reason for		
	owest popul			Colorectal		47	Gen hlth promotion	5	1
,	ower popul	1001011 0011	51011,	Trachea, Bronchi	ıs Luna		Infant/child hlth		
   Age	Female	Male	Total	Prostate	ab, Lang	39	Infectious & paragitic	3	
0-14	4,060	4,310	8,380				Infectious & parasitic Circulatory Prenatal	17	4
15-19	1,570	1,810	3,380	Other sites Total		289	Prenatal	4	1
!				IOCAI		209		_	<del>-</del>
20-24	1,260	1,310	2,570	T 037G .		_	Postpartum	•	•
25-29	1,060	1,070	2,130	LONG-7	ERM CARI	ا ا			
30-34		1,160	2,340				WIC Participants	2,508	582
35-39	1,670	1,690	3,350	Community Options	s and MA	Waiver			
40-44	1,730	1,770	3,500	Programs			Clinic Visits	9,491	2,203
45-54	2,860	2,840	5,700	# (	Clients		Immunization	4,112	955
55-64	2,200	2,170	5,700 4,370	# (   COP	79	\$172 900	Immunization Blood pressure	2,784	646
65-74	1,900	1,680	3,570	MA Waivers *		, ,	-	,	
75-84	1,630	1,680 1,070	3,570 2,700	CIP1A	8	\$475.742	Environmental Contacts		
85+			1,150	CTP1R	87	\$1 178 129	Env hazards	99	23
Total	21,920	21,210	43,130	CIP2	5	\$104 500	Public health nuisance		40
IOCAL	21,520	21,210	43,130	COD-M	127	\$552 460	rubiic mearch nursance	1/4	40
3		36-1-	ma+a1	MA Waivers * CIP1A CIP1B CIP2 COP-W	137	\$032, <del>1</del> 00			
<b>Age</b> 0-17	Female	<b>Male</b> 5,340	<b>Total</b> 10,340	CSLA Brain Inj	0	\$35,100			
	4,990	5,340		Brain inj		\$87,596			
18-44	7,540	7,780 5,010	15,310	Total COP/Wvrs	264	\$2,706,585			
45-64			10,070						
, <del></del>	4,350	3,070	7,420	\$201,155 of the state			Health Education		
Total	21,920	21,210	43,130	were paid as lo			Community sessions		
				using COP funds			Community attendance	496	115
(Poverty	estimates	for 1995 a	are	not included in	n above (	COP costs.	School sessions	•	•
include	d in the 1	997 profile	es.				School attendance		
Poverty	statistic	s will be ι	updated	* Waiver costs re	eported 1	nere İ			
	he 2000 Cer		_	include federal			Staffing - FTEs		
		,				-	Staffing - FTEs Total staff Administrators	13	3.1
	EMPL	OYMENT				ľ	Administrators	1	0.2
	wage for j			Home Health Agen	rieg	2	Public health nurses	5	1 2
	loyment Cor			Home Health Agend Patients	166	100	Public health nurses Public health aides	1	0.3
	rerage wage			Patients per 10	dod non	. 110	Environmental specialist	LB .	•
l ot	work, not	prace or r	residence.			_			
ļ _ <b>.</b>		_	<b>-</b> -	Nursing Homes		7   659			
	rce Estima			Licensed beds		659	LOCAL PUBLIC HEAL		
Civilia	n labor fo	rce	43,594	Occupancy rate			(funding data not a	availabl	e)
Numbe	r employed		42,039	Residents on 12,					
Numbe	er employed er unemploye	ed	1,555	Residents aged 6					
Unem	ployment ra	ate	3.6%	per 1,000 popu	ulation	74			
' 						'			

----- NATALITY ------Birth Order Births Percent TOTAL LIVE BIRTHS Marital Status First 154 39 of Mother Births Percent Crude Live Birth Rate 9.2
General Fertility Rate 47.0 302 133 Married 33 76 Second Third 70 18 Not married 96 24
Fourth or higher 41 10 Unknown 0 0
Unknown 0 0 Live births with reported congenital anomalies 3 . % Education First Prenatal
Visit Births Percent Births Percent of Mother Delivery Type Births Percent Elementary or less 2 1 
 Vaginal after
 19
 5
 2nd trimester
 54
 14

 Forceps
 1
 <.5</td>
 3rd trimester
 3
 1

 Other vaginal
 304
 76
 No visits
 6
 2

 Primary cesarean
 38
 10
 Unknown
 2
 1

 Repeat cesarean
 36
 9
 9
 Number of Prenatal
 Some high school 48 12 High school 151 Some college 115 College graduate 82 0 Unknown 0 Smoking Status Care visits Births Percent of Mother Births Percent 
 Birth Weight
 Births
 Percent
 No visits
 6
 2
 Smoker
 84

 <1,500 gm</td>
 1
 0.3
 1-4 visits
 4
 1
 Nonsmoker
 314

 1,500-2,499 gm
 12
 3.0
 5-9 visits
 44
 11
 Unknown
 0

 2,500+ gm
 385
 96.7
 10-12 visits
 119
 30
 30

 Unknown
 0
 0.0
 13+ visits
 223
 56
 56

 Unknown
 2
 1
 1
 1
 1
 79 Low Birth Weight Trimester of First Prenatal Visit
Total Births (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown
Births Percent Births Percent Births Percent Births Percent 391 98 13 3.3 Race of Mother Births Percent Births Percent Births Percent 13 3.3 White 328 84 53 14 10 ~∠O \* 3 1 \* Black 4 1 0 0 Other Unknown Trimester of First Prenatal Visit Low Birth Weight 
 Fertility Births
 Rate Rate
 Births Percent Births
 1st Trimester Percent Births
 2nd Trimester Percent Births
 Outlet, outstown

 10
 - .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 Fertility (under 2,500 gm) Age of Mother <15 15-17 18-19 19 16 5 7 7 3 12 14 2 7 18 1 118 94 20-24 105 99 85 72 25-29 30-34 40 24 8 . 0 --40 24 35-39 5 63 3 40+ 1 12.5 63 Unknown Teenage Births 42 27 \* - Not reported. Age or race category has less than 5 births

----- MORBIDITY ------ MORBIDITY ------

Disease Num	ber
Campylobacter Enteritis Giardiasis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C*** Legionnaire's Lyme Measles Meningitis, Aseptic Meningitis, Bacterial Mumps Pertussis Salmonellosis Shigellosis	5 5 5 0 5 0 0 5 0 0 5 9
Tuberculosis  1999 provisional data  * Includes all positive HBsAg test results  ** Unavailable at time of printing  Sexually Transmitted Disease Chlamydia Trachomatis Genital Herpes Gonorrhea Nongonococcal Cervicitis Nongonococcal Urethritis Syphilis	39 10 <5

## Children in Grades K-12 by

•	
Compliant	8,123
Non-compliant	27
Dercent Compliant	99 7

----- IMMUNIZATIONS -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

Selected

TOTAL DI	EATHS		534	
Crude	Death	Rate	1	,238

Age	Deaths	Rate
1-4	2	•
5-14	3	
15-19	2	•
20-34	6	•
35-54	34	271
55-64	57	1,304
65-74	91	2,549
75-84	161	5,971
85+	177	15,453

Infant		
Mortality	Deaths	Rate
Total Infant	1	•
Neonatal	•	
Postneonatal	1	
Unknown		_

Race of Mother		
White	1	
Black	•	
Other		
Unknown	•	

Birth Weight		
<1,500 gm	•	
1,500-2,499 gm		
2,500+ gm	1	
Unknown	•	

Perinatal		
Mortality	Deaths	Rate
Total Perinatal	2	•
Neonatal		
Fetal	2	

perecred		
Underlying Cause	Deaths	Rate
Heart Disease (total)	201	466
Ischemic heart disease		
Cancer (total)	115	267
Trachea/Bronchus/Lung		
Colorectal	9	
Female Breast	5	. *
Cerebrovascular Disease	25	58
Lower Resp. Disease		
Pneumonia & Influenza	16	
Injuries	14	
Motor vehicle	8	
Diabetes	12	
Infectious & Parasitic	10	

\* Rate for female breast cancer based on female population.

Suicide

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	4	
Other Drugs	7	
Both Mentioned		

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	464	12
Alcohol-Related With Citation:	80	2
For OWI	62	0
For Speeding	37	0
Motorcyclist	23	0
Bicyclist Pedestrian	7 9	1 0

----- HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related	l: All					Alcohol-Relate	ьd				
Total	403	9.3	4.6	\$11,004	\$103	Total	86	2.0	3.9	\$4,401	\$9
<18	43	4.2	2.6	\$8,232	\$34	18-44	45	2.9	3.2	\$3,253	\$10
18-44	86	5.6	5.2	\$13,362	\$75	45-64	36	3.6	4.1	\$5,486	\$20
45-64	91	9.0	4.6	\$9,937	\$90	Pneumonia and		3.0	4.1	φ5,400	<b>Ϋ20</b>
65+	183	24.7	4.8	\$11,077	\$274	Total	203	4.7	5.3	\$7,762	\$37
Injury: Hip		24.7	4.0	ŞII,0//	ŞΔ/ <del>1</del>	<18	25	2.4	3.3	\$5,434	\$13
Total	54	1.3	5.8	\$12,570	\$16	45-64	44	4.4	5.7	\$8,815	\$13 \$39
65+	54 54	7.3				65+					
	~ -	7.3	5.8	\$12,570	\$92	,	126	17.0	5.5	\$6	\$0
Injury: Pois	-	О Г	2 0	åE 701	\$3	Cerebrovascula		4 0	4 0	40 005	426
Total	23	0.5	2.8	\$5,781	\$3	Total	174	4.0	4.0	\$8,985	\$36
18-44 7	•	•	•	•	45-64	36	3.6	2.9	\$12,361	\$44	
					65+	130	17.5	4.3	\$7,976	\$140	
Psychiatric						Chronic Obstru		-			
Total	246	5.7	9.1	\$6,165	\$35	Total	112	2.6	4.2	\$5,486	\$14
<18	58	5.6	9.6	\$6,158	\$35	<18	11		•		
18-44	111	7.2	9.7	\$6,104	\$44	18-44	15	•	•	•	
45-64	48	4.8	7.4	\$5,489	\$26	45-64	36	3.6	4.4	\$5,802	\$21
65+	29	3.9	9.0	\$7,530	\$29	65+	50	6.7	4.8	\$6,347	\$43
						Drug-Related					
Coronary Heart	Disease					Total	9		ē		
Total	300	7.0	3.8	\$14,757	\$103	18-44	4				
45-64	119	11.8	3.8	\$17,420	\$206	ĺ					
65+	166	22.4		\$12,930	\$290	Total Hospital	izations				
03.	100	22.1	1.0	<b>Ψ12/330</b>	Q250	Total	4,952	114.8	4.2	\$7,937	\$911
Malignant Neop	lasms (Ca	ncers)	• All			<18	689	66.7	3.1	\$3,409	\$227
Total	237	5.5		\$12,418	\$68	18-44	1,111	72.5	3.4	\$5,923	\$430
18-44	23	1.5		\$19,672	\$30	45-64	1,069	106.2	4.5	\$10,016	\$1,063
45-64	77	7.6		\$12,612	\$96	65+	2,083	281.0	4.9	\$9,442	\$2,654
65+	136	18.3	6.0	\$12,012	\$203	05+ 	2,003	201.0	4.9	φ9,44Z	\$Z,034
Neoplasms: F						   <b>P</b>		, HOGDE		ONTC +	
Total	emare bre		ates for	remare po		)	<b>REVENTABLE</b> 617	-			\$79
			•	•	•	Total		14.3	3.9	\$5,544	•
Neoplasms: C			0 3	d00 405	A11	<18	65	6.3	2.6	\$3,029	\$19
Total	23	0.5		\$20,437	\$11	18-44	69	4.5	2.8	\$4,473	\$20
65+	16	•	•	•	•	45-64	130	12.9	4.1	\$6,111	\$79
Neoplasms: L	ung					65+	353	47.6	4.4	\$6,008	\$286
Total	19	•	•	•	•	* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization					
Diabetes						The definition of preventable hospitalizations in 1999					
Total	71	1.6	5.0	\$8,662	\$14	is consistent with the 1997 definition.					
65+	28	3.8	5.2	\$6,790	\$26	Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					